



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBE117-68021W2
Job Sheet 185114



Part No: RBE117-68021W2

Job Qty: 4 ea

Part Name: Shaft Holder



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/23/18

Job Tracking No:

Due Date: 11/30/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBE117-68021W2 Rev. 1 IPP Rev. A 18.09.27 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	4 Ea		11/30/18	0.00	0.00	Start Up Machining-3		
110	CNC Lathe	4 pcs		11/30/18	0.00	0.40	MORI NLX		
120	QC	4 pcs		11/30/18	0.00	0.00	QC2 Machining-4		
130	QC	4 pcs		11/30/18	0.00	0.00	QC8 Machining-4		
135	Outsource	4 pcs		11/30/18	0.00	0.00	Outsource1		
140	Outsource	4 pcs		11/30/18	0.00	0.00	Outsource12		
150	Packaging	4 pcs		11/30/18	0.00	0.00	Packaging2		
160	QC	4 pcs		11/30/18	0.00	0.00	QC6		
210	Packaging	4 pcs		11/30/18	0.00	0.00	Packaging3-1		
220	QC21-SA	4 Ea		11/30/18	0.00	0.00	QC21		

Part Op 110 - 1-Machine as per DWG. FC422 FOLIO REV: AA DWG REV: 1 2-Deburr 21
Descriptions: 135 - 1--Issue P/O to Metcore ; P/O RC 55-60 2-Bead blast 3- Certificate of Conformity is required

NOTE DROP SHIP TO FINISHER Metcore to ship directly to Groupe Altech***

140 - -Issue P/O to GROUPE ALTECH; PO 21 -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; O1 Steel -Certificate of Conformity is required

GA 071

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
MT-O1-R2.000	Tool Steel Round Bar 2.000 dia.	.9520 ft (.238 ea)	90-Start up Operation	<u>5117221</u>

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	MT-O1-R2.000	1	3	0

ations

not be found.

Plex 10/23/18 7:42 AM Dart.lajeunesse.marie



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S135851



Part: RBE117-68021W2

Job No: 185114

Serial No/Batch: S135851

Revision: 1

Inspector:

Exp Date:

Instructions:

Date: 12/09/18

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				DATE	INITIAL	APPROVED
REV	ECR	DESCRIPTION				
1		RELEASED FOR PRODUCTION.		9/9/2016	SM	JAG



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 185114 MLJ

18-10-23



NOTE:
REF. AIRBUS T/N: 117-68021W2.

DART AEROSPACE	
TITLE SHAFT HOLDER	
DWG NO. RBE117-68021W2	REV 1
MAT'L O1 HEAT TREAT RC 55-60 FINISH BLACK OXIDE SPEC QMSI-6.2.2, B.O. REV D	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125/✓ 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DRAWN BY: MACKOVJAK	USED ON MODEL
CHECKED: DUERFELDT	H145
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 3:4	DATE 7/22/2016
SHEET 1 OF 1	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
				1	SHAFT HOLDER	O1		1



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO042004**

Supplier: ATL002-VC
Atlantic Heat Treat 2001
401 Frankcom
Ajax
ON
L1S R14 Canada
Phone: 866 257 6395

PO No: PO042004

PO Date: 12/10/18

Due Date: 12/17/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Tsimiklis, Chrisoula Phone: .

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Pymt Terms: Net 30

Freight Terms:

Special Comments: Need backasap**

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	185114	RBE117-68021W2	Shaft Holder 1--Issue P/O to Atlantic; P/O _____ RC 55-60 2-Bead blast 3- Certificate of Conformity is required 4-Black oxide finish, MIL-C-13924C Class 1 5-Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. 6-Material type; O1 Steel 7-Certificate of Conformity is required	Firmed	-	12/17/18	4 pcs	0 pcs	4 pcs	\$53.625/pcs	\$214.50
Grand Total:											\$214.50

Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 12/12/18 12:56 PM dart.tsimiklis.chrisoula

→ oil quenched
shape + size
turn → quenched in oil getting
distorting to new
air quench.

Shipping Ticket

Sold To: 1448
DART AEROSPACE LTD.
1270 ABERDEEN ST

HAWKESBURY ON K6A 1K7

Ship To: 158414
DART AEROSPACE LTD.
1270 ABERDEEN ST

HAWKESBURY ON K6A 1K7

Page 1 of 1

Purchase Order Number	Packing List No	Customer Job No	Route	Carrier
PO042004				

Quantity	Part No. / Part Name / Part Description	Pounds
4	PCS MATERIAL 0-1 SAND BLAST AND HEAT TREAT TO 55 - 60 RC BLACK OXIDE, APPLY THIN LAYER OF OIL, C OF C, PART#RBE117-6802W2, JOB#185114	

Container Type	# Of Containers	Cust Cont Id	Container Type	# Of Containers	Cust Cont Id
BOX	1				

NOTICE: OUR LIABILITY IS LIMITED TO OUR INVOICE CHARGES ONLY

Shipped Complete

Quantity Shipped: 4

Pounds Shipped: 4.00

SSRc

12-17-18

Order No.: 161338

Shipped Complete

Quantity Shipped: 4.00

Received By:

Date:

Pounds Shipped: 4.00

Sold To: DART AEROSPACE LTD.

Shipped ON: 12/12/2018

Certification

Date: 12/17/2018

Entry Date: 12/12/2018

Page: 1 of 1

To:

DART AEROSPACE LTD.
1270 ABERDEEN ST

Purchase Order No.: PO042004

Packing List No.:

HAWKESBURY ON K6A 1K7

Material: 01

We are pleased to provide you with the following Certificate of Compliance.

Quantity	Part Number / Part Name / Part Description	Pounds
4	4 PCS MATERIAL 0-1 SAND BLAST AND HEAT TREAT TO 55 - 60 RC BLACK OXIDE, APPLY THIN LAYER OF OIL, C OF C, PART#RBE117-68021W2, JOB#185114	4

Insp. Type	Scale	Minimum	Maximum	Number	Other
------------	-------	---------	---------	--------	-------

Customer Requirements:

Harden rockwell


Results:

Harden ROCKWE 55. 60. 55. TESTED AS PER SAMPLING PLAN

HEAT TREATED TO 55 RC AS PER CUSTOMER REQUEST

BLACK OXIDE AS PER CUSTOMER REQUEST

STATEMENT OF LIMITED LIABILITY (PLEASE READ CAREFULLY). ALL WORK IS ACCEPTED SUBJECT TO THE FOLLOWING CONDITIONS: It is recognized that even after employing all the scientific methods known to us, hazards still remain in metal treating. THEREFORE, OUR LIABILITY SHALL NOT EXCEED TWICE THE AMOUNT OF OUR CHARGES FOR THE WORK DONE ON ANY MATERIAL (FIRST TO REIMBURSE FOR THE CHARGES AND SECOND TO COMPENSATE IN THE AMOUNT OF THE CHARGES), EXCEPT BY WRITTEN AGREEMENT SIGNED BY THE METAL TREATER. THE CUSTOMER, BY CONTRACTING FOR METAL TREATMENT, AGREES TO ACCEPT THE LIMITS OF LIABILITY AS EXPRESSED IN THIS STATEMENT TO THE EXCLUSION OF ANY AND ALL PROVISIONS AS TO LIABILITY ON THE CUSTOMER'S OWN INVOICES, PURCHASE ORDERS OR OTHER DOCUMENTS. IF THE CUSTOMER DESIRES HIS OWN PROVISIONS AS TO LIABILITY TO REMAIN IN FORCE AND EFFECT, THIS MUST BE AGREED TO IN WRITING, SIGNED BY AN OFFICER OF THE TREATER, IN SUCH EVENT, A DIFFERENT CHARGE FOR OUR SERVICES REFLECTING THE HIGHER RISK TO TREATER, SHALL BE DETERMINED BY THE TREATER AND CUSTOMER. THE TREATER MAKES NO EXPRESS OR IMPLIED WARRANTIES AND SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OF THE FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY, AS TO THE PERFORMANCE OF CAPABILITIES OF THE MATERIAL AS HEAT TREATED, OR THE HEAT TREATMENT. THE AFOREMENTIONED LIMITATION OF LIABILITY STATED ABOVE IS SPECIFICALLY IN LIEU OF ANY EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS, AND OF ANY OTHER SUCH OBLIGATION ON THE PART OF THE TREATER. No claim for shortage in weight or count will be entertained unless presented within five (5) working days after receipt of materials by customer. No claim will be allowed for shrinkage, expansion, deformity, or rupture of material in treating or straightening, except by prior written agreement, as above, nor in any case for rupture caused by or occurring during subsequent grinding. Whenever we are given material with detailed instructions as to treatment, our responsibility shall end with the carrying out of those instructions. Failure by a customer to indicate plainly and correctly the kind of material (i.e., proper alloy designation) to be treated, shall cause an extra charge to be made to cover any additional expense incurred as a result thereof, but shall not change the limitation of liability stated above. Customer agrees there will be no liability on the treater in contract for any special, indirect or consequential damages arising whatsoever, including but not limited to personal injury, property damage, loss of profits, loss of production, recall or any other losses, expenses or liabilities allegedly occasioned by the work performed on the part of the treater. It shall be the duty of the customer to inspect the merchandise immediately upon its return, and in any event claims must be reported prior to the time that any further processing, assembling or any other work undertaken. OUR LIABILITY TO OUR CUSTOMERS SHALL CEASE ONCE ANY FURTHER PROCESSING, ASSEMBLING OR ANY OTHER WORK HAS BEEN UNDERTAKEN ON SAID MATERIAL. No agent or representative is authorized to alter the above conditions, except by writing duly signed by an officer of treater.

DAS
38
9-89
KEAN SHEPHERD
QUALITY CONTROL
ATLANTIC HEAT TREATING 2001 LTD

100-100000
100-100000
100-100000

100-100000

100-100000
100-100000
100-100000

100-100000
100-100000
100-100000

100-100000
100-100000
100-100000

100-100000
100-100000
100-100000

100-100000
100-100000
100-100000

100-100000
100-100000
100-100000

100-100000
100-100000
100-100000

100-100000
100-100000
100-100000